*International Journal of Fracture*

# CONTENTS OF VOLUME 67 (1994)


***Vol. 67, No. 1, 1 May 1994***

| | | |
|---|---|---|
| Prediction of interfacial crack path: a direct boundary integral approach and experimental study | S. SELCUK, D.S. HURD, S.L. CROUCH and W.W. GERBERICH | 1 |
| Large scale yielding in blister specimens | K.M. LIECHTI and A. SHIRANI | 21 |
| On the debonding of an elastic elliptical inhomogeneity under antiplane shear | S.X. GONG and S.A. MEGUID | 37 |
| A generalized Comninou contact model for interface cracks in anisotropic elastic solids | JIN LEE and HUAJIAN GAO | 53 |
| Elastoplastic trouser tear testing of sheet materials | C.M. MUSCAT-FENECH and A.G. ATKINS | 69 |
| Double crack problem in nonlocal elasticity | K. ORUÇOĞLU and E. INAN | 81 |

***Vol. 67, No. 2, 15 May 1994***

| | | |
|---|---|---|
| Notch tip deformation and *J*-integral analysis for implant weldability test specimen | K. BISWAS | 99 |
| The strain-hardening effect in HRR plane fields according to T-criterion | P.S. THEOCARIS and C.B. DEMAKOS | 117 |
| Asymptotic tensile crack-tip stress fields in elastic-perfectly plastic crystals | H.W. ZHANG and Y. HUANG | 133 |
| Interfacial edge crack in two bonded dissimilar orthotropic quarter planes under anti-plane shear | S.R. CHOI, C.H. CHONG, and Y.S. CHAI | 143 |
| Westergaard stress functions for displacement-prescribed cracks – II. Extension to mixed problems | H. TADA, H. ERNST and P. PARIS | 151 |
| The stress intensity factor Green's function for a crack interacting with a circular inclusion | RONGSHUN LI and A. CHUDNOVSKY | 169 |
| Stress intensity factors around a crack parallel to a free surface of a half-plane | S. ITOU | 179 |

***Vol. 67, No. 3, 1 June 1994***


| | | |
|---|---|---|
| Analysis of elastoplastic sharp notches | HUANG YUAN and GUOYU LIN | 187 |
| The significance of RPG load for fatigue crack propagation and the development of a compliance measuring system | M. TOYOSADA and T. NIWA | 217 |
| Prediction of branching (or relaxation) angle in anisotropic or isotropic elastic bimaterials with rigid substrate | C. ATKINSON, C. BASTERO and M.I. SÁNCHEZ | 231 |
| The edge interface crack | P. KELLY, D. NOWELL and D.A. HILLS | 263 |


***Vol. 67, No. 4, 15 June 1994***


| | | |
|---|---|---|
| *T*-shaped crack problem for bonded orthotropic layers | F. ERDOGAN and S. KADIOGLU | 273 |
| Orthotropic thermoelasticity problem of symmetrical heat flow disturbed by three coplanar cracks | CHEN BAOXING and ZHANG XIANGZHOU | 301 |
| Influence of fastener holes on residual strength | PIN TONG | 315 |
| A model of cutting cellular elastic materials | M. RYVKIN and B. NULLER | 325 |
| A hybrid technique of modeling of cracks using displacement discontinuity and direct boundary element method | M. AMEEN and B.K. RAGHUPRASAD | 343 |
| The Kluwer LaTeX Style File | | 357 |
| Author index | | 359 |